

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

1845.

HOVEY & CO'S
DESCRIPTIVE CATALOGUE
OF A CHOICE COLLECTION OF
FLOWER SEEDS,

COMPRISING, IN ALL, UPWARDS OF
FIVE HUNDRED SPECIES AND VARIETIES,

AND AMONG OTHERS,
SOME SPLENDID ASSORTMENTS OF
German Aster, Balsams, Ten Week Stocks, Poppies, Rocket
Larkspurs, Candytufts, Zinnias, Hollyhocks, &c.

AMONG THE SEEDS ARE MANY NEW, RARE AND SPLENDID
VARIETIES, WELL WORTHY THE ATTENTION OF
FLORISTS AND AMATEUR CULTIVATORS.

— CULTIVATED AND FOR SALE BY —
HOVEY & CO.
SEEDSMEN AND NURSERYMEN,
7, Merchants Row.....Boston.

HOVEY & CO.,
SEED STORE AND AGRICULTURAL WAREHOUSE,
7, MERCHANTS ROW....BOSTON.

NURSERIES AT CAMBRIDGE,

Near Harvard College, Mass. Only two miles from the City.

OFFER FOR SALE ONE OF THE MOST EXTENSIVE COLLECTIONS OF
VEGETABLE, AGRICULTURAL, AND GRASS

SEEDS,

TO BE FOUND IN THE COUNTRY, COMPRISING A LARGE ASSORTMENT, AND INCLUDING
— THE NEWEST AND MOST APPROVED VARIETIES, —
— SUCH AS —

Prince Albert and Cedo Nulli Peas, Vanack and Paignton Cab-
bages, Seymour's and Bailey's Superb Celeries, New
Brocolis, Prize Cucumbers, &c., &c.

— A LARGE AND SUPERIOR COLLECTION OF —

BULBOUS FLOWER ROOTS,

AND THE

NEWEST DAHLIAS;

ALSO

GARDENING, BOTANICAL AND AGRICULTURAL BOOKS.

From their Nurseries,

AN UNRIVALLED COLLECTION OF

FRUIT TREES,

ORNAMENTAL TREES, SHRUBS AND EVERGREENS,

GRAPE VINES, GOOSEBERRIES, STRAWBERRIES, &c.,

GREEN-HOUSE AND HARDY HERBACEOUS PLANTS,

RHUBARB AND ASPARAGUS ROOTS, &c.

Orders filled at one day's notice, and the plants packed and forwarded to all parts of the country. Catalogues of Fruit Trees, Roses, Plants &c. GRATIS.

REMARKS.

In presenting to the public a DESCRIPTIVE CATALOGUE OF FLOWER SEEDS, on a new and improved plan, (for the first time in this country,) we would respectfully call the attention of lovers of plants, and amateurs in general, to the unrivalled collection enumerated in the following Catalogue.

It has been our constant endeavor, during a period of *ten years*, to extend, perfect, and complete our collection of Flower Seeds as far as possible; and no pains have been spared to keep it the largest, rarest and choicest to be found in the country. All the new and choice kinds that have been introduced to notice in Europe during the past *ten years*, have been annually obtained, and a trial of them made under our own care, from which our descriptions are made up. The splendid varieties of double German Aster, double Balsams, Rocket Larkspurs, &c., whose beauty depends entirely upon the care taken in the selection of seeds, have been raised by ourselves, and for their splendor are unequalled. The varieties of large Pansies, Carnations, Pelargoniums, Ten Week Stocks, &c., have been imported from the best sources in London and Germany—and have proved of surpassing excellence.

The value of descriptive lists in the selection of flower seeds, will at once be acknowledged. The kinds are so numerous—their habits so unlike—their colors so dissimilar—and the height to which the different kinds attain so varied, that to individuals unacquainted with them, a descriptive catalogue will be of great value in making a judicious selection, either for a small or large garden. The explanatory notes will give the necessary information in regard to the abbreviations of the columns.

Amateurs, in forwarding their orders, are requested to notice that it is unnecessary to repeat the names, as by giving the numbers, and date of the Catalogue, perfect correctness will be insured.

☞ A variety of splendid seeds, put up in *assortments*, (p. 4,) comprising only the *finest* varieties, are enumerated, and are particularly recommended to the attention of amateur cultivators.

* * Orders for seeds will receive particular attention, and be safely put up to be sent to any part of the country.

Our Nurseries are very extensive, embracing upwards of thirty acres of land, the whole of which will be devoted to Fruit and Ornamental Trees, Shrubs, Evergreens, Grape Vines, Herbaceous Plants, Dahlias, Bulbous Roots, Green-house Plants, &c., &c., Catalogues of which may be had on application.

The Nurseries are situated on the Cambridge road to Mount Auburn, half a mile east of Harvard Colleges, and about two miles from Boston. A large conservatory, and an extensive green-house, both with span roofs, have been erected, which are filled with choice collections of Camellias, Roses, Pelargoniums, Ericas, Azaleas, and miscellaneous plants. All amateurs and lovers of plants are invited to visit the Nurseries. In the month of May, a splendid collection of Tulips will be in flower;—in June, upwards of four hundred varieties of hardy Roses;—during the autumn, an unrivalled collection of Perpetual, Bourbon, Bengal, Tea, and Noisette Roses;—and in September, a magnificent collection of Dahlias. In the Conservatory, the Chrysanthemums will be in bloom in November—the Camellias in January—the Azaleas in February—the Roses in March, and the Pelargoniums in April and May. Omnibus coaches run within a few rods of the Nurseries every half hour during the day.

Orders, to secure attention, should be accompanied with a remittance, or a draft, payable in Boston or New York.

All orders for trees or plants should be directed to "HOVEY & CO., BOSTON," and they will meet with immediate attention, and be promptly executed. All packages delivered in Boston free of expense.

Catalogues of *Vegetable and Agricultural Seeds, Bulbous Roots, Dahlias, Fruit Trees, Forest Trees, Ornamental Shrubs, Roses, Green-house Plants, &c.* may be had separately, on application, (*post paid*).

EXPLANATIONS.

The number under which each species or variety of seeds is sold—the Scientific Name—the Common Name—the Period of Duration of the Plant—Color of the Flowers—Height of the Plant—Period of Blooming—and Price per Packet, are all given in the eight columns of the Catalogue, as follows:—

1st Column.—Number under which each variety is sold—and under which orders are executed, the detail of the names being unnecessary.

2d Column.—Scientific or common name of the plants, agreeably to the remarks at the head of each Alphabetic List.

3d Column.—The same.

4th Column.—Hardiness and duration of each plant, *viz*:—*h*, *hardy*; *hh*, *half hardy*; *t*, *tender*; *F*, *frame*; *G*, *green-house*; *a*, *annual* (1 year); *b*, *biennial* (lasts 2 years); *p*, *perennial* (lasts many years.) They are thus applied in the Catalogue:—*ha*, *hardy annual*; *hha*, *half hardy annual*; *ta*, *tender annual*; *hb*, *hardy biennial*; *hhb*, *half hardy biennial*; *hp*, *hardy perennial*; *hhp*, *half hardy perennial*, &c.

5th Column.—Color of the flower. The abbreviations are as follows:—*var.*, *various*; *sc.*, *scarlet*; *cr.*, *crimson*; *pur.*, *purple*; *str.*, *striped*; *yel.*, *yellow*; *va.*, *variegated*; *or.*, *orange*; *b. & w.*, *blue and white*, &c., &c.

6th Column.—Usual height in feet the plants generally attain under good cultivation.

7th Column.—Usual months of flowering.

8th Column.—Price of the seeds per single packet.

A star, *, added to the letters of the fourth column, denotes that the biennial and perennial plants flower the first year as well as the second.

A double star, **, following the scientific name, signifies that the plants are climbing, and suitable for an arbor, or trellis work.

Dots, . . , in the fourth column, indicate a repetition.

TIME OF SOWING.—Hardy annuals from April to June, and many of the kinds in the autumn. Half hardy annuals in May, or earlier, in a *green-house* or a *hot bed*. Tender annuals in a *hot bed*, and transplanted to the border in June. Biennials and perennials from April to July.

ASSORTMENTS OF **SPLENDID FLOWER SEEDS,**

Comprising superb Double German Asters, Balsams, Larkspurs, &c., raised by ourselves, and warranted to be of the most splendid description.

| No. | Price. |
|--|--------|
| 1. 8 varieties of superb Double German Asters | \$0 50 |
| 2. 8 varieties of beautiful German Ten Week Stocks | 0 50 |
| 3. 4 varieties do. do. do. | 0 25 |
| 4. 8 varieties of superb Double Balsams | 0 50 |
| 5. 4 varieties do. do. do. | 0 25 |
| 6. 8 varieties of fine Double Poppies | 0 50 |
| 7. 4 varieties do. do. do. | 0 25 |
| 8. 4 varieties of fine Wall-flowers | 0 25 |
| 9. 4 varieties of Godetias, handsomest colors | 0 25 |
| 10. 4 varieties of splendid Dwarf Rocket Larkspurs | 0 25 |
| 11. 8 varieties of fine Double Hollyhocks | 0 50 |
| 12. 4 varieties of fine Candytuft | 0 25 |
| 13. 4 fine Schizanthuses | 0 25 |
| 14. 4 varieties of fine Zinnias | 0 25 |
| 15. 20 varieties of Flower Seeds assorted kinds | 1 00 |
| 16. 50 varieties do. do. do. | 2 00 |

CATALOGUE.

The following plants, being best known by their common or English names, they are thus arranged in alphabetical order—and the scientific name given in the third column. A collection may be ordered, by merely giving the numbers, and date of the Catalogue.

| No. | COMMON NAME. | SCIENTIFIC NAME. | Duration of Plant. | Color of Flower. | Height of Growth in feet. | Period of Flowering. | Price per Packet |
|-----|-------------------------|-------------------------|--------------------|------------------|---------------------------|----------------------|------------------|
| 1. | Adonis, Flos | Adonis æstivalis | ha | sc. | 1 | July, Aug. | 6 |
| 2. | Animated Oats | Avena sensitiva | ha | white | 1 | . | 6 |
| 3. | Aster, Chinese, mixed | Aster sinensis, var. | hha | var. | 2 | Aug. Oct. | 6 |
| 4. | German, mixed | — sp. and var. | .. | .. | 2 | . | 12 |
| 5. | blue | — cæruleus | .. | blue | 2 | . | 12 |
| 6. | light blue | — læte-cæruleus | .. | p. bl. | 2 | . | 12 |
| 7. | red | — atrorubens | .. | red | 2 | . | 12 |
| 8. | rose | — roseus | .. | rose | 2 | . | 12 |
| 9. | white | — alba | .. | white | 2 | . | 12 |
| 10. | ash gray | — var. | .. | ash | 2 | . | 12 |
| 11. | red and white | — rubro albus | .. | r. & w. | 2 | . | 12 |
| 12. | blue and white | — cæruleo albus | .. | bl. & w. | 2 | . | 12 |
| 13. | turkey | — turceicus | .. | red | 2 | . | 12 |
| 14. | early dwarf | — nanus | .. | var. | 2 | July, Sept. | 6 |
| 15. | Auricula, fine mixed | Primula auricula | hhp | .. | ½ | May, June | 12 |
| 16. | Anagallis, mixed | Anagallis, sp. and var. | ha | .. | 1 | July, Aug. | 6 |
| 17. | Balsam, fine mixed | Balsamina hortensis | ta | .. | 2 | July, Sept. | 6 |
| 18. | striped | — striata | .. | strip. | 2 | . | 6 |
| 19. | rose | — rosea | .. | rose | 2 | . | 6 |
| 20. | scarlet | — coccinea | .. | sc. | 2 | . | 6 |
| 21. | white | — alba | .. | white | 2 | . | 6 |
| 22. | ruby | — var. | .. | ruby | 2 | . | 6 |
| 23. | purple | — purpureus | .. | pur. | 2 | . | 6 |
| 24. | new mottled | — punctata var. | .. | r. & w. | 2 | . | 12 |
| 25. | crimson spotted | — punctata var. | .. | c. & w. | 2 | . | 12 |
| 26. | scarlet spotted | — punctata var. | .. | sc. & w. | 2 | . | 12 |
| 27. | purple spotted | — punctata var. | .. | pur. & w. | 2 | . | 12 |
| 28. | Chinese rose | — sinensis rosea | .. | rose | 2 | . | 12 |
| 29. | Cape Marygold | Calendula pluvialis | ha | w. & p. | 2 | . | 6 |
| 30. | Candytuft, fragrant | Iberis odorata | .. | w. | 1 | June, Aug. | 6 |
| 31. | purple | — umbellata | .. | pur. | 1 | . | 6 |
| 32. | Normandy | — major | .. | .. | 1 | . | 6 |
| 33. | new crimson | — phœnicea | .. | cr. | 1 | . | 6 |
| 34. | superb rocket | coronaria | .. | white | 1 | . | 6 |
| 35. | white | amara | .. | .. | 1 | . | 6 |
| 36. | Calliopsis, golden | Calliopsis tinctoria | .. | y. & pur. | 2 | June, Sept. | 6 |
| 37. | Drummond's | Drummondii | .. | y. | 2 | . | 6 |
| 38. | dark red | atrossanguinea | .. | y. & cr. | 2 | . | 6 |
| 39. | Calceolaria, fine mixed | Calceolaria var. | gp | var. | 2 | May, Aug. | 12 |

| No. | COMMON NAME. | SCIENTIFIC NAME. | Durat. of Plant. | Color of Flower. | Height. | Period of flowering. | Price. |
|-----|--|------------------------|------------------------|---------------------|---------|-------------------------|--------|
| 40. | Carnation, mixed | Dianthus caryophyllo- | hp | var. | 2 | June, Aug. | 6 |
| 41. | — extra fine | — var. [ides | .. | .. | 2 | .. | 25 |
| 42. | Picotee | — var. | .. | .. | 2 | .. | 6 |
| 43. | — extra fine | — var. | .. | .. | 2 | .. | 12 |
| 44. | Catchfly, Lobels | Silene armeria | ha | red | 1 | .. | 6 |
| 45. | large clustered | compacta | .. | rose | 1½ | .. | 6 |
| 46. | white | alba | .. | white | 1 | .. | 6 |
| 47. | Canterbury Bell, blue | Campanula medium | hb | blue | 2 | June, Sept. | 6 |
| 48. | white | — alba | .. | white | 2 | .. | 6 |
| 49. | Coxcomb, crimson | Celosia cristata | ta | cr. | 1½ | July, Sept. | 6 |
| 50. | yellow | — lutea | .. | yel. | 1½ | .. | 6 |
| 51. | Columbine, mixed | Aquilegia vulgaris | hp | var. | 2 | May, July | 6 |
| 52. | Siberian | Siberica | .. | blue | 1 | .. | 6 |
| 53. | Chrysanthemum, yell. | Chrysanthemum coro- | ha | yel. | 2½ | July, Aug. | 6 |
| 54. | white | — alba [narium | .. | white | 2½ | .. | 6 |
| 55. | tricolored | carinatum | .. | 3 col. | 1 | .. | 6 |
| 56. | new golden | luteum | .. | yel. | 1 | .. | 6 |
| 57. | Chinese Primrose | Primula prænitens | hhp* | purp. | ½ | July, Dec. | 25 |
| 58. | white | — alba | .. | white | ½ | .. | 25 |
| 59. | Cypress vine, | Ipomœa Quamoclit | ta | er. | 10 | July, Sep. | 6 |
| 60. | Convolvulus, dwarf | Convolvulus minor | ha | bl. & wh. | 1½ | July, Aug. | 6 |
| 61. | Cacalia, scarlet | Cacalia coccinea | .. | sc. | 1 | .. | 6 |
| 62. | new golden | — lutea | .. | yel. | 1 | .. | 6 |
| 63. | Dahlia, finest mixed | Dahlia, var. | tp | var. | 5 | July, Oct. | 6 |
| 64. | Evening Primrose | Oenothera grandiflora | ha | yel. | 3 | July, Sept. | 6 |
| 65. | Egg Plant, purple | Solanum melongena | ta | purp. | 2 | .. | 6 |
| 66. | white | — var. | .. | white | 2 | .. | 6 |
| 67. | Eternal Flower, golden | Elychrysum bractea- | hha | purp. | 2 | .. | 6 |
| 68. | new white | — album [tum | .. | white | 2 | .. | 6 |
| 69. | common purple | Xeranthemum annu- | .. | yel. | 1 | .. | 6 |
| 70. | common white | — album [tum | .. | white | 1 | .. | 6 |
| 71. | Forget-me-not | Myosotis arvensis. | ha | blue | ½ | July, Aug. | 6 |
| 72. | Fraxinella, purple | Dictamnus fraxinella | hp | red | 2 | June, Aug. | 6 |
| 73. | white | — alba | .. | white | 2 | .. | 6 |
| 74. | Foxglove, purple | Digitalis purpurea | .. | purp. | 2½ | July, Sept. | 6 |
| 75. | white | — alba | .. | white | 2½ | .. | 6 |
| 76. | Globe Amaranthus | Gomphrena globosa | ta | cr. | 2 | .. | 6 |
| 77. | white | — alba | .. | white | 2 | .. | 6 |
| 78. | striped | — striata | .. | str. | 2 | .. | 6 |
| 79. | Gourd, bottle** | Cucurbita lagenaria | .. | white | 10 | .. | 6 |
| 80. | striped pear** | ovifera var. | .. | yel. | 10 | .. | 6 |
| 81. | orange** | aurantia | .. | .. | 10 | .. | 6 |
| 82. | mandrake** | — var. | .. | .. | 10 | .. | 6 |
| 83. | Geranium (or Pelargo- nium,) extra fine | Pelargonium sp. & var. | gp | var. | 2 | April, June | 25 |
| 84. | Hawkweed, golden | Crepis barbata | ha | yel. | 1 | July, Aug. | 6 |
| 85. | Heartsease, mixed | Viola tricolor | .. | var. | ½ | May, Sept. | 6 |
| 86. | fine mixed | grandiflora | hb* | .. | ½ | .. | 12 |
| 87. | extra, from very fine named flowers | var. | .. | .. | ½ | .. | 25 |
| 88. | Hibiscus, African | Hibiscus africanus | ha | yel. & br. | 1½ | July, Sept. | 6 |
| 89. | swamp | palustris | hp | rose | 4 | June, Aug. | 6 |
| 90. | Hyacinth beans, pur. | Lablab vulgaris | hha | purp. | 10 | July, Sept. | 6 |
| 91. | white** [ple** | — alba | .. | white | 10 | .. | 6 |
| 92. | Honesty or Satinflower | Lunaria biennis | hb | blue | 1½ | July, Aug. | 6 |

| No. | COMMON NAME. | SCIENTIFIC NAME. | Durat. of Plant. | Color of Flower. | Height. | Period of flowering. | Price. |
|------|------------------------|----------------------------------|------------------------|---------------------|------------|-------------------------|--------|
| 93. | Hollyhocks, mixed | <i>Althaea rosea</i> | hp | var. | 5 | June, Sept. | 6 |
| 94. | black | — <i>nigra</i> | .. | black | 5 | | 6 |
| 95. | yellow | — <i>lutea</i> | .. | yel. | 5 | | 6 |
| 96. | rose | — <i>rosea</i> | .. | rose | 5 | | 6 |
| 97. | pink | — <i>rubella</i> | .. | pink | 5 | | 6 |
| 98. | white | — <i>alba</i> | .. | white | 5 | | 6 |
| 99. | sulphur | — <i>sulphurea</i> | .. | sulph. | 5 | | 6 |
| 100. | crimson | — <i>coccinea</i> | .. | cr. | 5 | | 6 |
| 101. | mottled | — var. | .. | mot. | 5 | | 6 |
| 102. | Ice plant | <i>Mesembryanthemum</i> , ta | white | 1½ | | 6 | |
| 103. | Indian Shot | <i>Canna indica</i> [sp.] | sc. | 3 | July, Aug. | 6 | |
| 104. | Jacobaea, purple | <i>Senecio elegans</i> | hha | purp. | 1 | July, Sept. | 6 |
| 105. | white | — <i>alba</i> | .. | white | 1 | | 6 |
| 106. | double purple | — <i>purpurea</i> | .. | purp. | 1 | | 6 |
| 107. | Larkspur,dwarf rocket | <i>Delphinium ajacis</i> | ha | var. | 1½ | June, Sept. | 6 |
| 108. | — blue | — <i>cæruleum</i> | .. | blue | 1½ | | 6 |
| 109. | — porcelain | — var. | .. | p. blue | 1½ | | 6 |
| 110. | — white | — <i>album</i> | .. | white | 1½ | | 6 |
| 111. | — rose | — <i>rosea</i> | .. | rose | ½ | | 6 |
| 112. | branching, mixed | <i>Consolida</i> var. | var. | 2½ | July, Aug. | 6 | |
| 113. | — blue | — <i>cæruleum</i> | .. | blue | 2½ | | 6 |
| 114. | — red | — <i>roseum</i> | .. | rose | 2½ | | 6 |
| 115. | Bee | <i>elatum</i> | hp | blue | 4 | June, Aug. | 6 |
| 116. | Chinese | <i>chinensis</i> | .. | .. | 3 | | 6 |
| 117. | large flowered | <i>grandiflora</i> | .. | .. | 3 | | 6 |
| 118. | Lavatera, red | <i>Lavatera trimestris</i> | ha | rose | 2 | July, Sept. | 6 |
| 119. | white | — <i>alba</i> | .. | white | 2 | | 6 |
| 120. | Love Lies Bleeding | <i>Amarantus caudatus</i> | .. | red | 2 | | 6 |
| 121. | Lupins, mixed | <i>Lupinus</i> sp. & var. | var | 2 | | 6 | |
| 122. | large blue | <i>hirsutus</i> | .. | blue | 2 | | 6 |
| 123. | rose | — <i>pilosus</i> | .. | rose | 2 | | 6 |
| 124. | small blue | <i>angustifolius</i> | .. | blue | 2 | | 6 |
| 125. | yellow | <i>luteus</i> | .. | yel. | 2 | | 6 |
| 126. | white | <i>albus</i> | .. | white | 2 | | 6 |
| 127. | Marygold, French | <i>Tagetes patula</i> , pl. var. | hha | yel & br. | 2 | | 6 |
| 128. | African | — <i>erecta</i> | .. | yel. | 2½ | | 6 |
| 129. | Marvel of Peru, mix'd | <i>Mirabilis dichotoma</i> | ha | var. | 3 | July, Oct. | 6 |
| 130. | Mignonette, sweet | <i>Reseda odorata</i> | .. | white | 1 | June, Sept. | 6 |
| 131. | tree, or branching | — var. | hb* | .. | 1 | | 6 |
| 132. | Nasturtium, com'n** | <i>Tropæolum majus</i> | ha | yel. | 6 | | 6 |
| 133. | dark red ** | — <i>atrosanguineum</i> | .. | cr. | 6 | July, Sept. | 6 |
| 134. | spotted ** | — <i>Shillingii</i> | .. | spot. | 6 | | 6 |
| 135. | Peas, sweet, mixed** | <i>Lathyrus odoratus</i> var. | .. | var. | 5 | | 6 |
| 136. | — striped ** | — <i>striatus</i> | .. | str. | 5 | Aug. Sept. | 6 |
| 137. | — Painted Lady | — <i>pictus</i> | .. | var. | 5 | | 6 |
| 138. | — white ** | — <i>albus</i> | .. | white | 5 | | 6 |
| 139. | — black ** | — <i>nigrus</i> | .. | black | 5 | | 6 |
| 140. | — scarlet ** | — <i>coccineus</i> | .. | sc. | 5 | | 6 |
| 141. | — purple ** | — <i>purpureus</i> | .. | purp. | 5 | | 6 |
| 142. | Tanger ** | — <i>tingitanus</i> | .. | sc. | 5 | | 6 |
| 143. | Everlasting ** | — <i>latifolius</i> | hp | pink | 5 | June, Sept. | 6 |
| 144. | — white | — <i>albus</i> | .. | white | 5 | | 12 |
| 145. | Persicaria, red | <i>Polygonum orientale</i> | ha | red | 6 | | 6 |
| 146. | Polyanthus,fine mixed | <i>Primula elatior</i> var. | hp | var. | 1 | July, Sept. | 6 |
| 147. | Pink, fine clove,mixed | <i>Dianthus moschatus</i> | .. | .. | 1½ | June, July | 6 |

| No. | COMMON NAME. | SCIENTIFIC NAME. | Durat. of Plant. | Color of Flower. | Height. | Period of flowering. | Price. |
|------|------------------------|-------------------------------------|------------------------|---------------------|---------|-------------------------|--------|
| 148. | Pink, annual Chinese | <i>Dianthus annuus</i> | ha | var. | 1 | July, Aug. | 6 |
| 149. | Poppy, fine mixed | <i>Papaver somniferum</i> | .. | .. | 2 | July, Sept. | 6 |
| 150. | superb fringed | — <i>fimbriata</i> | .. | wh. & r. | 2 | | 6 |
| 151. | Ranunculus | <i>sineusis</i> | .. | var. | 1 | | 6 |
| 152. | Phlox, perennial, mix | <i>Phlox sp. & va. [driacus</i> | hp | .. | 3 | | 6 |
| 153. | Prince's Feather | <i>Amaranthus hypocon-</i> | ha | cr. | 2½ | | 6 |
| 154. | Petunia, white | <i>Petunia nyctagineiflora</i> | .. | white | 2 | July, Oct. | 6 |
| 155. | purple | <i>phœnicaea</i> | .. | violet | 2 | | 6 |
| 156. | — var. | .. | .. | var. | 2 | | 12 |
| 157. | Rocket, sweet | <i>Hesperis matronalis</i> | hp | purp. | 2 | July, Sept. | 6 |
| 158. | Rose Campion | <i>Agrostemma githago</i> | .. | .. | 2 | June, Sept. | 6 |
| 159. | Scabiosa, fine mixed | <i>Scabiosa</i> , var. | ha | var. | 2 | July, Sept. | 6 |
| 160. | purple | <i>atropurpurea</i> | .. | purp. | 2 | | 6 |
| 161. | Sensitive Plant | <i>Mimosa sensitiva</i> | ta | pink | 1 | | 6 |
| 162. | Snapdragon, fine mixt | <i>Antirrhinum majus</i> | hp* | var. | 1½ | | 6 |
| 163. | Stock, 10 w. fine mixt | <i>Matthiola annua</i> var. | hha | .. | 1½ | June, Sept. | 6 |
| 164. | scarlet | — <i>coccinea</i> | .. | sc. | 1½ | | 6 |
| 165. | white | — <i>alba</i> | .. | white | 1½ | | 6 |
| 166. | purple | — <i>purpurea</i> | .. | purp. | 1½ | | 6 |
| 167. | giant white | — <i>alba major</i> | .. | white | 1½ | | 6 |
| 168. | wall-leaved white | — var. | .. | .. | 1½ | | 6 |
| 169. | Stock, Ger. 10 w. mixt | <i>annua densiflora</i> | .. | var. | 1 | | 6 |
| 170. | dwarf carmine | — <i>miniata</i> | .. | .. | 1 | | 6 |
| 171. | Mulberry | — var. | .. | mul. | 1 | | 6 |
| 172. | new yellow | — <i>lutea</i> | .. | yel. | 1 | | 6 |
| 173. | crimson | — <i>kermesina</i> | .. | cr. | 1 | | 6 |
| 174. | dwarf rose | — <i>rosea</i> | .. | rose | 1 | | 6 |
| 175. | peach blossom | — <i>persicæfolia</i> | .. | peach | 1 | | 6 |
| 176. | violet | — <i>violacea</i> | .. | vio. | 1 | | 6 |
| 177. | red | — <i>rubra</i> | .. | red | 1 | | 6 |
| 178. | white | — <i>alba</i> | .. | white | 1 | | 6 |
| 179. | chamois | — var. | .. | buff | 1 | | 6 |
| 180. | dark | — var. | .. | dark | 1 | | 6 |
| 181. | cinnamon | — <i>cinnamomea</i> | .. | cin. | 1 | | 6 |
| 182. | Stock, Queen, scarlet | <i>incana</i> | hhb | sc. | 2 | May, Sept. | 6 |
| 183. | purple | — <i>purpurea</i> | .. | purp. | 2 | | 6 |
| 184. | white | — <i>alba</i> | .. | white | 2 | | 6 |
| 185. | Stock, Brompton, scar. | <i>simplicifolium</i> | .. | sc. | 2 | | 6 |
| 186. | purple | — <i>purpurea</i> | .. | purp. | 2 | | 6 |
| 187. | white | — <i>alba</i> | .. | white | 2 | | 6 |
| 188. | Victoria | — new var. | .. | er. | 2 | | 12 |
| 189. | imperial | — <i>imperialis</i> | hhp | red | 2 | | 12 |
| 190. | Sweet Alyssum | <i>Alyssum maritimum</i> | ha | white. | 1 | June, Sept. | 6 |
| 191. | Sweet Sultan, mixed | <i>Centaurea</i> var. | hha | var. | 1½ | July, Sept. | 6 |
| 192. | purple | <i>moschata</i> | .. | purp. | 1½ | | 6 |
| 193. | white | — <i>alba</i> | .. | white | 1½ | | 6 |
| 194. | yellow | <i>suaveolens</i> | .. | yel. | 1½ | | 6 |
| 195. | new blush | <i>crocodylium</i> | .. | flesh | 2 | | 6 |
| 196. | Sweet William, mixed | <i>Dianthus barbatus</i> flum | hp | var. | 1 | | 6 |
| 197. | Venus's Looking Glass | <i>Prismatocarpus specu-</i> | ha | blue | 1 | June, Sept. | 6 |
| 198. | Virginian stock | <i>Malcomia maritima</i> | .. | red | ½ | July, Sept. | 6 |
| 199. | Wallflower, blood | <i>Cheiranthus Cheiri</i> | hhp | br. | 1½ | May, Aug. | 6 |
| 200. | yellow | — <i>flava</i> | .. | yel. | 1½ | | 6 |
| 201. | double dark | — <i>flore pleno</i> | .. | dark | 2 | | 12 |
| 202. | purple | — <i>purpurea</i> | .. | purp. | 2 | | 6 |

The following seeds, with very few exceptions, have no popular or English name, and in consequence, the scientific names are arranged in alphabetical order. The names in the second column, by which they are often called, are mostly literal translations of the specific name: Example—*Clarkia elegans*, “elegant” *Clarkia*, &c.

| No. | SCIENTIFIC NAME. | COMMON NAME. | Durat. of Plant. | Color of Flower. | Height. | Period of flowering. | Price. |
|------|--------------------------------|-----------------------|------------------------|---------------------|---------|-------------------------|--------|
| 203. | <i>Ageratum mexicanum</i> | Mexican | ha | blue | 1½ | July, Aug. | 6 |
| 204. | <i>Alonsoa grandiflora</i> | great-flowered | gp* | sc. | 1½ | June, Sept. | 12 |
| 205. | <i>Amarantus tricolor</i> | three-colored | ta | 3 col. | 1 | July, Sept. | 6 |
| 206. | <i>Argemone mexicana</i> | Mexican | ha | white | 3 | . . . | 6 |
| 207. | — <i>ochroleuca</i> | yellow | .. | yel. | 3 | . . . | 6 |
| 208. | <i>Athanasia annua</i> | annual | .. | .. | 1 | . . . | 6 |
| 209. | <i>Bartonia aurea</i> | golden | .. | .. | 1½ | . . . | 6 |
| 210. | <i>Brachycome iberidifolia</i> | Swan River Daisy | hha | blue | 1 | . . . | 25 |
| 211. | <i>Browallia elata</i> | blue | ta | .. | 1 | . . . | 6 |
| 212. | <i>Campanula pyramidalis</i> | pyr'midal bell-flower | hhp | .. | 4 | June, Sept. | 6 |
| 213. | — <i>alba</i> | white | .. | white | 4 | . . . | 6 |
| 214. | sp. & var. | mixt peren. sorts | hp | var. | 2 | . . . | 6 |
| 215. | <i>Loreii</i> | Lore's | ha | blue | 1 | . . . | 12 |
| 216. | <i>Centaurea americana</i> | American | .. | red | 3 | Aug. Sept. | 6 |
| 217. | <i>Cladanthus arabicus</i> | Arabian | .. | yel. | 1 | July, Aug. | 6 |
| 218. | <i>Clarkia elegans</i> | elegant | .. | lil. | 1½ | July, Sept. | 6 |
| 219. | — <i>rosea</i> | new rose | .. | rose | 1½ | . . . | 6 |
| 220. | <i>pulchella</i> | pretty | .. | lil. | 1 | . . . | 6 |
| 221. | — <i>alba</i> | white | .. | white | 1 | . . . | 6 |
| 222. | <i>Calampelis scabra</i> ** | climbing | hhp* | or. | 10 | . . . | 6 |
| 223. | <i>Cleome grandiflora</i> | great-flowered | ha | rose | 4 | . . . | 6 |
| 224. | <i>Clintonia elegans</i> | elegant | .. | bl. & wh. | ½ | . . . | 6 |
| 225. | <i>pulchella</i> | pretty | .. | .. | ½ | . . . | 12 |
| 226. | <i>Cobaea scandens</i> ** | Mexican | gp* | purp. | 10 | Aug. Sept. | 12 |
| 227. | <i>Collinsia bicolor</i> | two-colored | ha | wh. & p. | 2 | July, Aug. | 6 |
| 228. | <i>heterophylla</i> | various-leaved | .. | .. | 2 | . . . | 6 |
| 229. | <i>Calandrinia grandiflora</i> | large-flowered | .. | p. & red | 1½ | July, Sept. | 6 |
| 230. | <i>discolor</i> | two-colored | .. | rose | 1½ | . . . | 6 |
| 231. | <i>Cassia Marylandica</i> | Maryland | hp | yel. | 4 | June, Sept. | 6 |
| 232. | <i>Commelinia cœlestis</i> | sky blue | ta | blue | 1½ | July, Aug. | 6 |
| 233. | <i>Cuphea silenoides</i> | Silene-like | ha | purp. | 2 | . . . | 12 |
| 234. | <i>Dahlia repens</i> | creeping | hha | var. | 1 | . . . | 12 |
| 235. | <i>Didiscus caruleus</i> | blue | .. | blue | 2 | . . . | 12 |
| 236. | <i>Digitalis aurea</i> | golden | hp* | or. | 2 | . . . | 6 |
| 237. | <i>lutea</i> | yellow | .. | yel. | 2 | . . . | 6 |
| 238. | <i>bicornata</i> | two-horned | .. | white | 3 | . . . | 6 |
| 239. | <i>Dracocephalum altaiense</i> | Altaiic | .. | blue | ½ | June, Aug. | 6 |
| 240. | <i>Elychrysum macranthum</i> | large-flowered | hha | pink | 3 | July, Aug. | 6 |
| 241. | <i>Erysimum Peroffskya</i> | Peroffsky's | ha | yel. | 2 | July, Sept. | 12 |
| 242. | <i>Eutoca viscosa</i> [num] | fine blue | .. | blue | 1½ | . . . | 6 |
| 243. | <i>Gaillardia Richardsonii</i> | Richardson's | hp* | yel. | 2 | . . . | 6 |
| 244. | <i>Gilia capitata</i> | bunch-flowered | ha | blue | 2 | . . . | 6 |
| 245. | tricolor | three-colored | .. | 3 col. | 1 | . . . | 6 |
| 246. | <i>Godetia bifrons</i> | two-fronted | .. | p. & c. | 1 | . . . | 6 |
| 247. | <i>concinna</i> | neat | .. | p & r. | ½ | . . . | 6 |

| No. | SCIENTIFIC NAME. | COMMON NAME. | Durat. of Plant. | Color of Flower. | Height. | Period of flowering. | Price. |
|------|--------------------------------|---------------------|------------------------|---------------------|---------|-------------------------|--------|
| 248. | <i>Godetia Lindleyana</i> | Lindley's | ha | wh. & r. | 1 | July, Sept. | 6 |
| 249. | <i>quadrivulnera</i> | four-spotted | .. | spot. | 1 | .. . | 6 |
| 250. | <i>Romanzovii</i> | Romanzow's | .. | pur. | 1 | .. . | 6 |
| 251. | <i>rosea</i> | rose colored | .. | rose | 1 | .. . | 6 |
| 252. | <i>rosea alba</i> | rose and white | .. | r. & w. | 1 | .. . | 6 |
| 253. | <i>rubicunda</i> | blushing | .. | purp. | 1 | .. . | 6 |
| 254. | <i>viminea</i> | twiggy | .. | lil. | 1 | .. . | 6 |
| 255. | <i>vinosa</i> | wine-colored | .. | purp. | 1 | .. . | 6 |
| 256. | <i>Willdenovii</i> | Willdenow's | .. | flesh | 1 | .. . | 6 |
| 257. | <i>Helenium Douglasi</i> | Douglas's | .. | yel. | 1 | July, Aug. | 6 |
| 258. | <i>Hebiophylla araboides</i> | Arabis-like | .. | blue | 1 | .. . | 12 |
| 259. | <i>Impatiens candida</i> | white | ta | white | 3 | July, Sept. | 12 |
| 260. | <i>Ipomoea coccinea**</i> | scar. Morning-glory | ha | sc. | 10 | July, Oct. | 6 |
| 261. | <i>rubro cærulea**</i> | sky blue | gp* | blue | 10 | .. . | 25 |
| 262. | <i>Nil**</i> | blue | ha | .. | 10 | .. . | 6 |
| 263. | <i>Lasthenia californica</i> | Californian | .. | yel. | 1 | July, Aug. | 6 |
| 264. | <i>Leptosiphon androsaceus</i> | long-tubed | .. | lil. | 1 | .. . | 6 |
| 265. | <i>densiflorus</i> | dense flowered | .. | var. | 1 | .. . | 6 |
| 266. | <i>Limanthes Douglasi</i> | Douglas's | .. | yel. | 1 | .. . | 6 |
| 267. | <i>Lisianthus Russellianus</i> | Duke of Bedford's | hhp | purp. | 1½ | June, Sept. | 25 |
| 268. | <i>Loasa Pentlandica</i> | Mr. Pentland's | ha | yel. | 6 | .. . | 12 |
| 269. | <i>Lobelia gracilis</i> | graceful | .. | blue | ½ | July, Oct. | 6 |
| 270. | <i>cardinalis</i> | Cardinal flower | hb | sc. | ½ | June, Aug. | 6 |
| 271. | <i>Lophospermum scandens**</i> | climbing | ha | rose | 10 | July, Oct. | 12 |
| 273. | <i>atrosanguineum</i> | dark red | .. | cr. | 10 | .. . | 12 |
| 274. | <i>Lotus jacobiæus</i> | dark flowered | ta | black | 1½ | .. . | 12 |
| 275. | <i>Lupinus Cruikshankii</i> | Cruikshank's | ha | var. | 2 | .. . | 12 |
| 276. | <i>nanus</i> | dwarf | .. | p. & bl. | 1 | .. . | 6 |
| 277. | <i>Hartwegii</i> | Hartweg's | .. | b. & w. | 1½ | .. . | 12 |
| 278. | <i>polyphyllus</i> | many leaved | hp | blue | 3 | June, Aug. | 6 |
| 279. | <i>— alba</i> | white | .. | white | 3 | .. . | 6 |
| 280. | <i>Lychnis chalcedonica</i> | scarlet | .. | sc. | 2 | .. . | 6 |
| 281. | <i>cœli rosa</i> | Rose of Heaven | ha | flesh | 1 | .. . | 6 |
| 282. | <i>Madaria elegans</i> | elegant | .. | yel. | 2 | July, Sept. | 6 |
| 283. | <i>Malope grandiflora</i> | large-flowered | .. | cr. | 2 | .. . | 6 |
| 284. | <i>— alba</i> | white | .. | white | 2 | .. . | 6 |
| 285. | <i>Malva elegans</i> | elegant | .. | sc. | 3 | .. . | 6 |
| 286. | <i>zebrina</i> | striped | .. | str. | 2 | .. . | 6 |
| 287. | <i>Martynia fragrans</i> | fragrant | ta | var. | 2 | .. . | 12 |
| 288. | <i>Maurandya Barclaya</i> | Barclay's | hha | purp. | 10 | July, Oct. | 12 |
| 289. | <i>semperflorens** [na**]</i> | ever-flowering | .. | rose | 8 | .. . | 12 |
| 290. | <i>Mimulus, sp. & var.</i> | fine mixed | .. | var. | 1 | June, Aug. | 12 |
| 291. | <i>Nemophila atomaria</i> | white spotted | .. | w. spot | 1 | July, Oct. | 6 |
| 292. | <i>discoidalis</i> | white bordered | .. | black | 1 | .. . | 25 |
| 293. | <i>insignis</i> | beautiful blue | .. | blue | 1 | .. . | 6 |
| 294. | <i>Nolana atriplicifolia</i> | large blue | .. | .. | 1 | .. . | 6 |
| 295. | <i>Oenothera macrocarpa</i> | long-fruited | hp* | yel. | 1 | May, Aug. | 6 |
| 296. | <i>tetraptera</i> | white | ha | white | 1 | July, Sept. | 6 |
| 297. | <i>Oxya chrysanthemoides</i> | Chrysanthemum-like | .. | yel. | 1 | .. . | 6 |
| 298. | <i>Papaver orientale</i> [des] | Oriental poppy | hp | sc. | 2 | May, June | 6 |
| 299. | <i>Pentstemon, mixed</i> | fine mixed | .. | var. | 2 | June, Aug. | 6 |
| 300. | <i>Phacelia tanacetifolia</i> | Tansy-leaved | ha | blue | 1½ | July, Sept. | 6 |
| 301. | <i>Phlox Drummondii</i> | Drummond's annual | hha | var. | 1 | July, Oct. | 12 |
| 302. | <i>Portulaca splendens</i> | splendid | .. | cr. | ½ | .. . | 12 |

| No. | SCIENTIFIC NAME. | COMMON NAME. | Durat. of Plant. | Color of Flowers. | Height. | Period of Flowering. | Price. |
|------|--------------------------|--------------------|------------------------|----------------------|---------|-------------------------|--------|
| 303. | Portulaca Thellusonii | Thelluson's | hha | sc. | 1½ | July, Oct. | 12 |
| 304. | Potentilla formosa | handsome | hp | rose | 1½ | June, Aug. | 6 |
| 305. | atrosanguinea | dark red | . | cr. | 1½ | . . . | 6 |
| 306. | Rodanthe Manglesii | Mr. Mangles's | hha | rose | 1 | July, Sept. | 12 |
| 307. | Rudbeckia amplexicaulis | stem clasping | ha | yel. | 1½ | . . . | 6 |
| 308. | lasciniata | yellow | hp | . | 2 | June, Sept. | 6 |
| 309. | Salpighiosis, fine mixed | fine mixed | hha | var. | 1 | July, Sept. | 12 |
| 310. | Salvia coccinea | scarlet | hhp* | sc. | 2 | June, Oct. | 12 |
| 311. | splendens | scarlet | . | . | 3 | . . . | 12 |
| 312. | patens | fine blue | . | blue | 3 | . . . | 25 |
| 313. | Schizanthus pinnatus | pinnate-leaved | ha | l. p. y. | 1½ | July, Sept. | 6 |
| 314. | — humilis | dwarf | . | l. r. y. | 1 | . . . | 6 |
| 315. | — porrigena | spreading | . | l. p. y. | 1½ | . . . | 6 |
| 316. | — Priestii | Priest's | . | white | 1½ | . . . | 6 |
| 317. | — pulchella | pretty | . | wh. & pur. | 1 | . . . | 12 |
| 318. | — venustus | beautiful | . | dark | 1 | . . . | 6 |
| 319. | retusus | blunt-leaved | . | cr. & yel. | 1 | . . . | 12 |
| 320. | Schizopetalon Walkerii | Walker's | hha | white | 1 | . . . | 12 |
| 321. | Silene regia | scarlet | hp* | sc. | 1½ | June, Sept. | 12 |
| 322. | Sophora japonica | Japan | hp | purp. | 2 | . . . | 6 |
| 323. | Stevia serrata | sweet-scented | ha | white | 1½ | July, Sept. | 6 |
| 324. | Thunbergia alata** | winged | ta | buff | 6 | July, Oct. | 12 |
| 325. | — alba** | white | . | white | 6 | . . . | 25 |
| 326. | — aurantiaca** | orange | . | or. | 6 | . . . | 25 |
| 327. | — Fryeri** | Mr. Fryer's | . | yel. | 6 | . . . | 25 |
| 328. | Tropaeolum peregrinum* | Canary-bird flower | . | . | 10 | July, Sept. | 12 |
| 329. | Verbena aubletia | Mr. Aublet's | ha | lil. | 1 | July, Oct. | 6 |
| 330. | venosa | veined | hhp* | bl. | 1 | . . . | 6 |
| 331. | var. & sp. | extra fine mixed | . | var. | 1 | . . . | 25 |
| 332. | Zinnia elegans | elegant | hha | vio. | 2 | July, Sept. | 6 |
| 333. | — alba | white | . | white | 2 | . . . | 6 |
| 334. | — coccinea | scarlet | . | sc. | 2 | . . . | 6 |
| 335. | — var. | fine mixed | . | var. | 2 | . . . | 6 |

ADDITIONAL SEEDS.

| No. | NAME. | Durat. | Pr. | No. | NAME. | Durat. | Pr. |
|------|-------------------------------|--------|-----|------|---------------------------|--------|-----|
| 336. | Ageratum mexicanum | hha | 6 | 354. | Chrysanthemum crocea | ha | 6 |
| 337. | Antirrhinum elegans | hp* | 6 | 355. | californica | . | 6 |
| 338. | caryophylloides | . | 12½ | 356. | compacta | . | 6 |
| 339. | Anemone vitifolia | hp | 6 | 357. | Cineraria, splendid mixt | ghp* | 25 |
| 340. | Aquilegia formosa | . | 6 | 358. | Clarkia gauroides | ha | 6 |
| 341. | grandiflora | . | 12½ | 359. | alba fimbriata | . | 6 |
| 342. | speciosa | . | 6 | 360. | Cynoglossum glochidiatum | hp* | 6 |
| 343. | Astragalus, mixt | . | 6 | 361. | Delphinium splendens | hp | 6 |
| 344. | Aster, German pyram., new | ha | 6 | 362. | Dianthus superbus | . | 6 |
| 345. | Cacalia coccinea | hha | 6 | 363. | fimbriata | . | 6 |
| 346. | aurea | . | 12½ | 364. | Digitalis, new spotted | . | 12½ |
| 347. | Calceolaria, choicest mixt k. | 2hp* | 25 | 365. | Eucharidium concinnum | ha | 12½ |
| 348. | pinnata | hha | 12½ | 366. | Francoa appendiculata | hp | 6 |
| 349. | Canterbury Bell, double | hb | 12½ | 367. | Fuchsia, extra fine, mixt | ghp | 25 |
| 350. | Campanula stricta | hp | 12½ | 368. | Fumaria spicata | hp | 6 |
| 351. | pulcherrima | hp* | 6 | 369. | Gaillardia Drummondii | . | 12½ |
| 352. | Centaurea cyanus | ha | 6 | 370. | Gilia splendens | ha | 12½ |
| 353. | Chelone barbata | hp | 6 | 371. | Godetia Gayana | . | 6 |

| No. | NAME. | Durat. | Pr. | No. | NAME. | Durat. | Pr. |
|------|---|--------|------------------|------|---|--------|------------------|
| 372. | Hibiscus Humboldtii | ha | 12 $\frac{1}{2}$ | 391. | Potentilla Mackayana | hp | 6 |
| 373. | Impatiens tricornis | hha | 12 $\frac{1}{2}$ | 392. | Podolepis gracilis | hha | 6 |
| 374. | granduligera | hha | 6 | 393. | Ranunculus, fine mixed | hp | 12 $\frac{1}{2}$ |
| 375. | Ipomopsis picta | hbb | 6 | 394. | Salvia Tenorei | hp* | 12 $\frac{1}{2}$ |
| 376. | Lobelia ramosa | hhp | 25 | 395. | Scutellaria alpina | .. | 6 |
| 377. | Lobelia ignea, rare | [*] | .. | 396. | columnea | .. | 12 $\frac{1}{2}$ |
| 378. | Lophospermum Hendersonii | hhp* | 12 $\frac{1}{2}$ | 397. | peregrina | hp | 6 |
| 379. | Mesembryanthemum glab'm | hha | 12 $\frac{1}{2}$ | 398. | Schizanthus elegans** | hha | 25 |
| 380. | tricolor | .. | 25 | 399. | Schizanthus obtusifolius | ha | 6 |
| 381. | Nemophila aurita | ha | 6 | 400. | Silene fimbriata | hp* | 6 |
| 382. | Nigella damascena | .. | 6 | 401. | Sphænogyne speciosa | ha | 6 |
| 383. | hispanica | .. | 6 | 402. | Stenactis speciosa | hp | 6 |
| 384. | Nolana grandiflora | .. | 6 | 403. | Stock, new intermediate | hha | 12 $\frac{1}{2}$ |
| 385. | Pelargonium, from the finest new scarlet varieties | ghp | 25 | 404. | New Victoria, fine | hhp | 12 $\frac{1}{2}$ |
| 386. | Pentstemon campanulatum | hp | 6 | 405. | Sunflower, fine double | ha | 6 |
| 387. | speciosum | .. | 6 | 406. | double dwarf | .. | .. |
| 388. | gentianoides coccinea | .. | 12 $\frac{1}{2}$ | 407. | Sweet William, May's splen- did double scarlet | hp | 12 $\frac{1}{2}$ |
| 389. | Pink, Pheasant-eyed | .. | 6 | 408. | Tropæolum pentaphyllum** | ghp | 25 |
| 390. | Morning Glories, mixt | ha | 6 | 409. | Verbas-cum formosum | hp* | 6 |

SUMMER FLOWERING BULBS, DAHLIAS AND PLANTS, FOR PLANTING IN MAY.

| | | | | | | |
|--|----|----|----|----|----|----------------------|
| Gladiolus natalensis, yellow and crimson, showy, each | .. | .. | .. | .. | .. | \$0 12 $\frac{1}{2}$ |
| — cardinalis, scarlet, splendid, each | .. | .. | .. | .. | .. | 0 37 $\frac{1}{2}$ |
| — floribundus, pink with dark lines, beautiful, each | .. | .. | .. | .. | .. | 0 37 $\frac{1}{2}$ |
| — ramosus, blush, new and very fine, each | .. | .. | .. | .. | .. | 1 00 |
| — gandavensis, very rare, splendid vermilion, crimson and yellow, each | .. | .. | .. | .. | .. | 3 00 |
| — new seedlings, very splendid, each | .. | .. | .. | .. | .. | 50 |
| Amaryllis formosissima, velvety crimson, superb, each | .. | .. | .. | .. | .. | 0 25 |
| Tigridia pavonia, light red, spotted, each | .. | .. | .. | .. | .. | 0 12 $\frac{1}{2}$ |
| — conchiflora, yellow spotted, each | .. | .. | .. | .. | .. | 0 25 |
| Tuberoses, fine double white, very fragrant, each | .. | .. | .. | .. | .. | 0 25 |
| Commelinæ tuberosa (or coelestis,) fine blue, each | .. | .. | .. | .. | .. | 0 12 $\frac{1}{2}$ |
| Peonies, of all the finest double varieties, each. | .. | .. | .. | .. | .. | \$0 50 to 1 00 |
| Dahlias, upwards of 200 varieties, including the finest new ones to be obtained in England, a Catalogue of which is annually published:— price per doz. \$2 to 8 00 | .. | .. | .. | .. | .. | .. |
| Carnations, extra fine and good varieties, each | .. | .. | .. | .. | .. | \$0 25 to 0 50 |
| Picotees, extra fine, with white and yellow grounds, each | .. | .. | .. | .. | .. | \$0 25 to 0 50 |
| Pinks, fine double sorts, clove scented, &c., per dozen | .. | .. | .. | .. | .. | \$2 00 |
| Verbenas, (in 20 varieties) for turning out into the border, per dozen | .. | .. | .. | .. | .. | \$1 50 to 2 00 |
| Chinese Roses, of dwarf kinds for planting in masses. per dozen. | .. | .. | .. | .. | .. | 3 00 |
| Hardy Herbaceous Plants, in twelve different handsome sorts, per dozen | .. | .. | .. | .. | .. | 3 00 |
| Chrysanthemums, all the finest new kinds, each | .. | .. | .. | .. | .. | \$0 25 to \$0 50 |
| Fuchsias, twelve of the most splendid new varieties | .. | .. | .. | .. | .. | 5 00 |
| Anemones, splendid varieties, assorted, per doz. | .. | .. | .. | .. | .. | \$0 50 to \$1 00 |
| Achimenes, five beautiful species, in pots, each | .. | .. | .. | .. | .. | 0 50 |

GARDEN TOOLS AND IMPLEMENTS OF EVERY DESCRIPTION,

Such as Spades, Shovels, Forks, Hoes, Dutch Scuffles, Verge Cutters, Rakes, Garden Reels and Lines, Trowels, Grass Shears, Pruning Shears, Pruning Saws, Pruning Knives, Budding Knives, Grape Scissors, Syringes, &c. &c. Russia Mats of the best quality.